

MALÅ ProEx

Professional Explorer Solutions



The most versatile Ground Penetrating Radar solution on the market



A versatile full-range Ground Penetrating Radar (GPR) system based on cutting-edge technologies.

Maximum gain with cutting-edge technology

The MALÅ ProEx Control Unit is the backbone of all MALÅ ProEx Systems and designed to meet the needs of the advanced professional user, using a completely new technical platform. The design and the technical features of the MALÅ ProEx Control Unit makes it the most versatile control unit in the MALÅ Geoscience range.

The interchangeable features of the MALÅ ProEx Control Unit make it available as a single or dual-channel system in the basic configuration or a true multi-channel system with the optional expansion units. The MALÅ ProEx Control Unit is fully compatible with all MALÅ GPR Antennas offering configurations between 30 MHz to 2.3 GHz, with up to 16 simultaneous recording channels. The MALÅ MIRA option extends, in theory, the system to an unlimited number of recording data channels without reduction in speed.

Ethernet communications between the MALÅ ProEx Control Unit and the MALÅ XV Monitor or a notebook PC ensure safe and reliable data transfer at high speed. Depending on the configuration and the antennas used, the MALÅ ProEx Control Unit can perform various types of measurements, including standard reflection surveys, tomography, or velocity (CMP/WARR) measurements, for virtually any kind of application.

“With each generation of equipment, MALÅ continues to improve on an already outstanding ground penetrating radar (GPR) platform. The durability of their equipment and their superior customer service has been a great asset to the continued growth of our company”

- GeoView Inc., USA



The anatomy of MALÅ ProEx

Replacing one of the market's most respected GPR control units, the MALÅ RAMAC/GPR CUII, was an ambitious undertaking. After tens of thousands of development hours, the engineers at MALÅ created the next generation of GPR control unit that they playfully nicknamed ProEx – an abbreviation of Professional Explorer. That nickname stuck and so has the technology – five years on and the MALÅ ProEx still lays claim as the undisputed leading platform for GPR systems. The secret behind the MALÅ ProEx's success lies in the versatility, scalability and unparalleled computing power of the platform's architecture. Let's take a closer look at ProEx to understand just how such bold claims can be made.

The MALÅ Professional Explorer (ProEx™) controller is a modular, full-range Ground Penetrating Radar (GPR) controller designed to meet the needs of the advanced GPR professional. With built-in multi-channel parallel processing capability and support for all MALÅ antennas, MALÅ ProEx is the most versatile GPR controller on the market. Since the MALÅ ProEx can handle any type of GPR investigation, including multi-channel road measurements, concrete analysis, landscape profiling or utility detection, it is an ideal solution for general geophysics contractors, consultants and multi-disciplinary research organizations – and practically any organization in between that requires a non-destructive assessment solution.

Antennas supported by the MALÅ ProEx controller



For more information, see www.malags.com

MALÅ ProEx Optical Module:

The MALÅ ProEx Optical Module allows the connection of all MALÅ GPR antennas that utilize an optical interface. This includes MALÅ Shielded, Unshielded, RTA and Borehole antennas.



MALÅ ProEx HF Module:

The MALÅ ProEx High Frequency (HF) Module allows the connection of the MALÅ HF Antennas including those with EM-option.



MALÅ ProEx Coax Module:

The MALÅ ProEx Coax Module allows the connection of deep MALÅ Borehole Antennas System utilizing winches. It also supports the MALÅ Separable Shielded Antennas with separable transmit and receive antenna elements.



MALÅ ProEx Expansion Unit:

In the basic configuration the MALÅ ProEx Control Unit can support two individual antennas, however, with the addition of one or more (3 max) MALÅ ProEx Expansion Units, this can be increased up to a maximum of 8 individual antennas.




MALÅ ProEx Array Option:

The MALÅ ProEx Array Option attached to the MALÅ ProEx Control Unit is the controller for the MALÅ MIRA System. The MALÅ ProEx Array option, expandable up to 16 individual receiver and transmitter antennas, is configured with a specific number of antenna interfaces.



The MALÅ ProEx was created with multi-channel and array data collection in mind from start. Using multiple processors, one per data channel, the ProEx system will maintain its high data acquisition rate regardless of number of data channels used.



Acquisition speed of the ProEx (blue) compared to standard single processor GPR control unit (red) with one or more data channels.



MALÅ Geoscience is the Global Leader in Ground Penetrating Radar (GPR) with users in 113 countries and more than 60 distributors.

With offices in Sweden, USA, China, Malaysia and Australia, and service centers in 3 continents, the company offers an outstanding level of service to customers and business partners worldwide.

CORPORATE HEADQUARTERS

MALÅ Geoscience

Skolgatan 11, SE-930 70

Malå, Sweden

PHONE: +46 953 345 50

FAX: +46 953 345 67

E-MAIL: sales@malags.com

OFFICES

USA

MALÅ Geoscience USA, Inc.,

465 Deanna Lane,

Charleston, SC 29492

PHONE: +1 843 852 5021

FAX: +1 843 284 0684

E-MAIL: sales.usa@malags.com

CHINA

MALÅ Geoscience (China)

Room 2604,

Yuan Chen Xin BLDG, No.12

Yu Min Road Chao Yang District

Beijing 100029

PHONE: +86 108 225 0728,

FAX: +86 108 225 0815

E-MAIL: sales@malags.com

MALAYSIA

MALÅ Geoscience (South East Asia)

9-B, Jalan Prima 9,

Metro Prima, Kepong, 52100

Kuala Lumpur, Malaysia

PHONE: +60 (0)3 6250 7351

FAX: +60 (0)3 6250 2072

E-MAIL: sales@malags.com

AUSTRALIA

MALÅ Geoscience (Oceania)

Unit 26, 10-18 Orchard Road

Brookvale, NSW 2100, Australia

PHONE: +61 438 278 902

FAX: +61 2 9908 1484

E-MAIL: sales@malags.com

